


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	6/29/10	D.GRIFFIN
B	ECN 4909: CHANGE FREQUENCY RANGE TO 2.5 GHz	7/15/10	D.FRISIELLO

DESCRIPTION	MATERIAL	FINISH
BODY	BRASS	NICKEL
DIELECTRIC	TEFLON	-
CENTER PIN	BRASS	GOLD
RETAINING RING	BRASS	NICKEL
GASKET	RUBBER	-
PRESS FIT GROUND RING	BRASS	NICKEL
SHELL	BRASS	NICKEL



NOTES:

ELECTRICAL:

IMPEDANCE: 50 OHMS
 FREQUENCY RANGE: DC ~ 2.5 GHz
 VOLTAGE RATING: 500 VOLTS PEAK
 WITHSTAND VOLTAGE: 1000V
 INSERTION LOSS: .2 dB MAX

MISCELLANEOUS:

COMPONENT SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPEC. PS-0031.

ALL DIMENSIONS ARE FOR REFERENCE ONLY.

RoHS Compliant ✓

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +3% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 .XX = ± .02 .XXX = ± .005	APPROVALS D. CASTRO CHECKED BY K. BURGNER APPROVED BY K. BURGNER	DATE 6/29/10 6/29/10 6/29/10	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	CATEGORY COAXIAL		
PROJECTION 	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY	COLOR VARIATIONS MAY OCCUR	SCALE: NONE CAD FILE: AXA-BFNM90.SLDDRW
SIZE A 43321		DWG. NO. AXA-BFNM90	REV. B
SHEET 1 OF 1			SHEET 1 OF 1