




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC., ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	CHANGED BY
A	INITIAL RELEASE (ECN 1489)	09/09/03	MCCORMICK
B	INSULATOR WAS POLYPROPYLENE (ECN 1576)	11/03/03	MCCORMICK
C	ECN 3194: UPDATE DWG FORMAT	2/8/08	D.GRIFFIN



BNC PLUG

NOTES:

MATERIALS:

SHELL: BRASS
CONTACTS: BRASS
INSULATOR: ACETAL

FINISH:

SHELL: NICKEL PLATE
CONTACT: GOLD PLATE

ELECTRICAL:

CHARACTERISTIC IMPEDANCE: 75 OHM

APPLICATION NOTES:

RESISTOR; 1/4 WATT CARBON FILM TYPE

PACKAGING:

INDIVIDUALLY PACKAGE IN A POLYBAG

RoHS Compliant ✓

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN INCHES [mm]
TOLERANCES TO BE:
.X ±.1 [2.5] ANGLES ±2°
.XX ±.01 [.25]
.XXX ±.005 [.13]
OVERALL CABLE LENGTH TOL:
≤ 60 [1524] +3 [76.2] / -0
> 60 [1524] +5% / -0%



APPROVALS	DATE
DRAWN BY C.MCCORMICK	08/12/2003
CHECKED BY D.PARHAM	08/12/2003
APPROVED BY R.CARRICK	08/12/2003

CONFIGURATION DETAILS OF
UNDIMENSIONED FEATURES
MAY VARY

	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
	CATEGORY	COAXIAL
PRODUCT DESCRIPTION		75 OHM BNC TERMINATOR
SIZE A	FSCM NO. 43321	DWG. NO. BTB7MD
SCALE: NONE CAD FILE: BTB7MD.SLDDRW		REV. C
SHEET 1 OF 1		