




THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	CHANGED BY
A	INITIAL RELEASE PER ECN 1489	09/09/03	MCCORMICK
B	ECN 3194: UPDATE DWG FORMAT	2/8/08	D.GRIFFIN



BNC PLUG

NOTES:

MATERIALS:
 SHELL: BRASS
 CONTACTS: BRASS
 INSULATOR: POLYPROPYLENE


FINISH:
 SHELL: NICKEL
 CONTACT: GOLD

ELECTRICAL:
 CHARACTERISTIC IMPEDANCE: 93 OHM

APPLICATION NOTES:
 RESISTOR; 1/4 WATT CARBON FILM TYPE

PACKAGING:
 INDIVIDUALLY PACKAGE IN A POLYBAG

UNLESS OTHERWISE SPECIFIED,
 DIMENSIONS ARE IN INCHES [mm]
 TOLERANCES TO BE:
 .X ±.1 [2.5] ANGLES ±2°
 .XX ±.01 [.25]
 .XXX ±.005 [.13]
 OVERALL CABLE LENGTH TOL:
 ≤ 60 [1524] +3 [76.2] / -0
 > 60 [1524] +5% / -0%



APPROVALS	DATE
DRAWN BY C.MCCORMICK	08/12/2003
CHECKED BY D.PARHAM	08/12/2003
APPROVED BY R.CARRICK	08/12/2003

CONFIGURATION DETAILS OF
 UNDIMENSIONED FEATURES
 MAY VARY

	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845		
	CATEGORY COAXIAL		
PRODUCT DESCRIPTION 93 OHM BNC TERMINATOR			
SIZE A	FSCM NO. 43321	DWG. NO. BTB9MD	REV. B
SCALE: NONE		CAD FILE: BTB9MD.SLDDRW	SHEET 1 OF 1