


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	4/27/10	D.GRIFFIN



LENGTH CODE CHART		
CABLE# & LENGTH	LENGTH SYMBOL	EXAMPLES OF PART# USED
CA-QPQJBAXXX	WHERE XXX = LENGTH IN FEET	CA-QPQJBA010 (10 FEET)
CA-QPQJBANXX	WHERE NXX = LENGTH IN INCHES	CA-QPQJBA16 (16 INCHES)
CA-QPQJBAMXX	WHERE MXX = LENGTH IN METERS	CA-QPQJBAM07 (7 METERS)
CA-QPQJBAXMX	WHERE XMX = LENGTH IN DECIMAL METERS	CA-QPQJBA3M5 (3.5 METERS)

RoHS Compliant ✓

NOTE:

1. CABLE ASSEMBLIES TO BE TESTED FOR CONTINUITY.
2. CABLE ASSEMBLIES TO BE PACKAGED INDIVIDUALLY IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +3% / -0%	APPROVALS	DATE		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	DRAWN BY D. CASTRO	4/23/10		
ALL OTHER DIMENSIONAL TOLERANCES: .X = ±.2 .XX = ±.02 .XXX = ±.005	CHECKED BY C. BRAN	4/23/10	CATEGORY COAXIAL CABLES	
	APPROVED BY K. BURGNER	4/23/10	PRODUCT DESCRIPTION CA,195 QMA P/QMA J BKHD	
PROJECTION 	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY	COLOR VARIATIONS MAY OCCUR	SIZE A	FSCM NO. 43321
			DWG. NO. CA-QPQJBA	REV. A
			SCALE: NONE	CAD FILE: CA-QPQJBA.SLDDRW
			SHEET 1 OF 1	