



THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	01/02/13	D.GRIFFIN



LENGTH CODE CHART		
CABLE# & LENGTH	LENGTH SYMBOL	EXAMPLES OF PART# USED
CA-RMMNFBCXXX	WHERE XXX = LENGTH IN FEET	CA-RMMNFBC010 (10 FEET)
CA-RMMNFBCNXX	WHERE NXX = LENGTH IN INCHES	CA-RMMNFBCN16 (16 INCHES)
CA-RMMNFBCMXX	WHERE MXX = LENGTH IN METERS	CA-RMMNFBCM07 (7 METERS)
CA-RMMNFBCXMX	WHERE XMX = LENGTH IN DECIMAL METERS	CA-RMMNFBC3M5 (3.5 METERS)



- NOTES:
1. CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
 2. CABLE ASSEMBLY SHALL RECEIVE INSERTION LOSS TEST PER L-COM SPECIFICATIONS.
 3. CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

RoHS Compliant ✓

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +3% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 .XX = ± .02 .XXX = ± .005	APPROVALS DRAWN BY B.PUCHASKI CHECKED BY K.BURGNER APPROVED BY P.PESA	DATE 01/02/13 01/02/13 01/02/13	45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845	
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY COLOR VARIATIONS MAY OCCUR	CATEGORY COAXIAL		PRODUCT DESCRIPTION CA,CA-100 RP-MMCX/NF BLKHD
PROJECTION 	SIZE A	FSCM NO. 43321	DWG. NO. CA-RMMNFBC	REV. A
SCALE: NONE		CAD FILE: CA-RMMNFBC.SLDDRW		SHEET 1 OF 1