


8 7 6 5 4 3 2 1

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	5/18/10	D.GRIFFIN



LENGTH CODE CHART		
CABLE# & LENGTH	LENGTH SYMBOL	EXAMPLES OF PART# USED
CA-SMRNFBA <del>XXX</del>	WHERE XXX = LENGTH IN FEET	CA-SMRNFBA010 (10 FEET)
CA-SMRNFBA <del>NXX</del>	WHERE NXX = LENGTH IN INCHES	CA-SMRNFBA16 (16 INCHES)
CA-SMRNFBA <del>MXX</del>	WHERE MXX = LENGTH IN METERS	CA-SMRNFBA07 (7 METERS)
CA-SMRNFBA <del>MXM</del>	WHERE XMX = LENGTH IN DECIMAL METERS	CA-SMRNFBA3M5 (3.5 METERS)

**RoHS Compliant** ✓

NOTES:

1. CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
2. CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +3% / -0%	APPROVALS	DATE		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	DRAWN BY D. CASTRO	5/18/10		
ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 .XX = ± .02 .XXX = ± .005	CHECKED BY C. BRAN	5/18/10	CATEGORY <b>COAXIAL</b>	
	APPROVED BY K. BURGNER	5/18/10	PRODUCT DESCRIPTION <b>CA,195 SMA M RA/NF BKHD</b>	
PROJECTION 	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY	COLOR VARIATIONS MAY OCCUR	SIZE <b>A</b>	FSCM NO. <b>43321</b>
			DWG. NO. <b>CA-SMRNFBA</b>	REV. <b>A</b>
			SCALE: NONE	CAD FILE: CA-SMRNFBA.SLDDRW
			SHEET 1 OF 1	