


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	11/2/10	D.GRIFFIN
B	ECN 5573: CN RELEASE, ADDED NOTE 2	6/29/11	D.FRISIELLO



LENGTH CODE CHART		
CABLE# & LENGTH	LENGTH SYMBOL	EXAMPLES OF PART# USED
CA-TMNFAXXX	WHERE XXX = LENGTH IN FEET	CA-TMNFA010 (10 FEET)
CA-TMNFANXX	WHERE NXX = LENGTH IN INCHES	CA-TMNFA16 (16 INCHES)
CA-TMNFAMXX	WHERE MXX = LENGTH IN METERS	CA-TMNFAM07 (7 METERS)
CA-TMNFAXMX	WHERE XMX = LENGTH IN DECIMAL METERS	CA-TMNFA3M5 (3.5 METERS)

NOTES:

- CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.
- CABLE ASSEMBLY SHALL RECEIVE INSERTION LOSS TEST PER L-COM SPECIFICATIONS.
- CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

RoHS Compliant ✓

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +3% / -0%	APPROVALS	DATE		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	DRAWN BY D. CASTRO	11/1/10		CATEGORY COAXIAL
ALL OTHER DIMENSIONAL TOLERANCES: .X = ±.2 .XX = ±.02 .XXX = ±.005	CHECKED BY J. RUST	11/1/10	PRODUCT DESCRIPTION CA,CA195 TNC-M / TYPE-N F	
PROJECTION 	APPROVED BY K. BURGNER	11/1/10	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY	SIZE A FSCM NO. 43321 DWG. NO. CA-TMNFA REV. B
	COLOR VARIATIONS MAY OCCUR		SCALE: NONE	CAD FILE: CA-TMNFA.SLDRW SHEET 1 OF 1