


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	RELEASED FOR PRODUCTION	08/24/01	MCCORMICK
B	ECN# 1204 PRODUCT VALIDATION	12/13/02	MCCORMICK
C	ECN 3230: UPDATE DWG FORMAT	3/18/08	D.GRIFFIN
D	ECN 4139: CN RELEASE AND NEW FORMAT	7/28/09	D.FRISIELLO




MODEL #	LENGTH	
	FEET	METERS
CC213-5	5.0	1.52
CC213-10	10.0	3.05
CC213-15	15.0	4.57
CC213-25	25.0	7.62
CC213-50	50.0	15.24
CC213-75	75.0	22.86
CC213-100	100.0	30.48
CC213-125	125.0	38.1

RoHS Compliant ✓

NOTES:

CABLE ASSEMBLY SHALL BE TESTED FOR CONTINUITY.

CABLE ASSEMBLY SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +3% / -0% ALL OTHER DIMENSIONAL TOLERANCES: .X = ± .2 .XX = ± .02 .XXX = ±.005	APPROVALS DRAWN BY MCCORMICK CHECKED BY ENG APPROVED BY R.CARRICK	DATE 08/22/2001 08/22/2001 08/22/2001	 45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY		CATEGORY COAXIAL
	COLOR VARIATIONS MAY OCCUR		PRODUCT DESCRIPTION TYPE N M/M RG213 ASSEMBLY
	PROJECTION 	SIZE A	FSCM NO. 43321

SCALE: NONE | CAD FILE: CC213.SLDDRW | SHEET 1 OF 1