


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF L-COM, INC. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF L-COM, INC. IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	DRAWING REPLACES FOA-211A-OD1	6/24/14	D.FRISIELLO



NOTES:

MATERIALS:
 BODY: ZINC ALLOY
 SLEEVE: CERAMIC
 RIVET: COPPER
 ST DUST CAP: PVC
 SC DUST CAP: ENGINEERING PLASTIC
 SPRING LEVER: ENGINEERING PLASTIC
 MOUNTING CLIPS: STAINLESS STEEL

FINISH:
 BODY: NICKEL PLATED
 RIVET: TIN PLATED

RECOMMENDED PANEL THICKNESS: .06" [1.5]

ALL DIMENSIONS ARE FOR REFERENCE ONLY.

COMPONENT SHALL BE INDIVIDUALLY PACKAGED IN ACCORDANCE WITH L-COM SPECIFICATION PS-0031.

REGULATORY COMPLIANCE:
 CE2011/65/EU(RoHS DIRECTIVE)

RECOMMENDED
 PANEL CUTOUT

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES [mm] OVERALL CABLE LENGTH TOLERANCE: ≤12 [305] = +1 [25] / -0 >12 [305] ≤60 [1524] = +2 [51] / -0 >60 [1524] ≤120 [3048] = +4 [102] / -0 >120 [3048] ≤300 [7620] = +6 [152] / -0 >300 [7620] = +5% / -0%	APPROVALS	DATE		45 BEECHWOOD DRIVE NORTH ANDOVER, MA 01845
	DRAWN BY C.MCCORMICK	12/20/2000		CATEGORY
ALL OTHER DIMENSIONAL TOLERANCES: .X = ±.2 [5.08] .XX = ±.02 [1.51] .XXX = ±.005 [1.13]	CHECKED BY D.PARHAM	01/12/2000	PRODUCT DESCRIPTION	
	APPROVED BY R.CARRICK	01/12/2000	ADPTR,REC/MTL ST-SC SMLPX CER	
PROJECTION 	CONFIGURATION DETAILS OF UNDIMENSIONED FEATURES MAY VARY		SIZE A	FSCM NO. 43321
	COLOR VARIATIONS MAY OCCUR		DWG. NO. FOA-211A	REV. A
			SCALE: NONE	CAD FILE: FOA-211A.SLDDRW
			SHEET 1 OF 1	